

EAST Search History

EAST Search History (Prior Art)

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|---|-----------------|------------------|---------|------------------|
| | | @pd< "20031203" and ((estimate\$ with train\$) | US-PGPUB; USPAT | OR | ON | 2009/05/07 14:49 |
| | | @pd< "20031203" and (training same (set or sub \$)) | US-PGPUB; USPAT | OR | ON | 2007/04/25 08:33 |
| L1 | 1 | "20050125434" and apparatus | US-PGPUB; USPAT | OR | ON | 2009/05/26 09:36 |
| L2 | 1 | "20050125434" and system | US-PGPUB; USPAT | OR | ON | 2009/05/26 09:38 |
| L3 | 812 | @pd< "20031203" and charity | US-PGPUB; USPAT | OR | ON | 2009/05/26 10:14 |
| L4 | 185 | @pd< "20031203" and charity and donation | US-PGPUB; USPAT | OR | ON | 2009/05/26 10:15 |
| L5 | 121 | @pd< "20031203" and (charity with donation) | US-PGPUB; USPAT | OR | ON | 2009/05/26 10:15 |
| L6 | 1 | @pd< "20031203" and ((charity with donation) same model) | US-PGPUB; USPAT | OR | ON | 2009/05/26 10:15 |
| L7 | 879 | @pd< "20031203" and 705/39.ccls. | US-PGPUB; USPAT | OR | ON | 2009/05/26 10:21 |
| L8 | 42 | @pd< "20031203" and 705/39.ccls. and charity | US-PGPUB; USPAT | OR | ON | 2009/05/26 10:21 |
| S2 | 1 | "20050125434" and (cost) | US-PGPUB; USPAT | OR | ON | 2007/01/19 09:26 |
| S3 | 26 | @pd< "20031203" and "inductive learning" and (learning with model) | US-PGPUB; USPAT | OR | ON | 2007/01/19 09:25 |
| S4 | 2848 | @pd< "20031203" and "feature vector" | US-PGPUB; USPAT | OR | ON | 2007/01/19 09:27 |
| S5 | 1 | "20050125434" and aggreg \$ | US-PGPUB; USPAT | OR | ON | 2007/01/19 09:27 |
| S6 | 94 | @pd< "20031203" and "feature vector" and aggregate and benefit and application and purpose and function | US-PGPUB; USPAT | OR | ON | 2007/01/19 09:27 |
| S7 | 142 | @pd< "20031203" and (fan. in. or wang-haixun.in. or yu-phillip.in.) and database | US-PGPUB; USPAT | OR | ON | 2007/01/19 09:29 |

| | | | | | | |
|-----|-------|---|--------------------|----|----|---------------------|
| S8 | 21 | @pd<"20031203" and (fan.in. or wang-haixun.in. or yu-phillip.in.) and database and segment and subset | US-PGPUB; USPAT | OR | ON | 2007/01/19 09:34 |
| S9 | 2 | @pd<"20031203" and accuracy and predicted and time and (cost with stepwise) | US-PGPUB; USPAT | OR | ON | 2007/01/19 09:29 |
| S10 | 12024 | @pd<"20031203" and (training same (set or subset)) | US-PGPUB; USPAT | OR | ON | 2007/01/19 09:34 |
| S11 | 3 | 435/183.ccls. and @pd<"20031203" and (training same (set or subset)) | US-PGPUB; USPAT | OR | ON | 2007/01/19 09:35 |
| S12 | 0 | 435/184.ccls. and @pd<"20031203" and (training same (set or subset)) | US-PGPUB; USPAT | OR | ON | 2007/01/19 09:35 |
| S13 | 93 | 435/183.ccls. and @pd<"20031203" and (training) | US-PGPUB; USPAT | OR | ON | 2007/01/19 09:35 |
| S14 | 12 | 435/184.ccls. and @pd<"20031203" and (training) | US-PGPUB; USPAT | OR | ON | 2007/01/19 09:35 |
| S15 | 0 | 435/320.ccls. and @pd<"20031203" and (training) | US-PGPUB; USPAT | OR | ON | 2007/01/19 09:35 |
| S16 | 370 | 435/325.ccls. and @pd<"20031203" and (training) | US-PGPUB; USPAT | OR | ON | 2007/01/19 09:36 |
| S17 | 24 | 435/325.ccls. and @pd<"20031203" and (training same (set or subset)) | US-PGPUB; USPAT | OR | ON | 2007/10/31 11:40 |
| S18 | 140 | 706/16.ccls. and @pd<"20031203" and (training same (set or subset)) | US-PGPUB; USPAT | OR | ON | 2007/01/19 09:36 |
| S19 | 317 | 706/25.ccls. and @pd<"20031203" and (training same (set or subset)) | US-PGPUB; USPAT | OR | ON | 2007/01/19 09:36 |
| S20 | 57 | 706/25.ccls. and @pd<"20031203" and (training same (subset)) | US-PGPUB; USPAT | OR | ON | 2007/01/19 09:36 |
| S21 | 19 | 706/16.ccls. and @pd<"20031203" and (training same (subset)) | US-PGPUB; USPAT | OR | ON | 2007/01/19 09:37 |

| | | | | | | |
|-----|-----|--|-----------------|----|-----|------------------|
| S22 | 48 | 706/20.ccls. and @pd<"20031203" and (training same (subset)) | US-PGPUB; USPAT | OR | ON | 2007/01/19 09:37 |
| S23 | 133 | S22 or S21 or S20 or S17 or S14 | US-PGPUB; USPAT | OR | ON | 2007/01/19 09:37 |
| S24 | 614 | @pd<"20031203" and ((data with divid\$) with subset\$) | US-PGPUB; USPAT | OR | ON | 2007/04/25 08:33 |
| S25 | 26 | @pd<"20031203" and ((data with divid\$) with subset\$) and (model with subset) | US-PGPUB; USPAT | OR | ON | 2007/04/25 08:50 |
| S26 | 4 | @pd<"20031203" and ((data with divid\$) with subset\$) and ((model with subset) with based) | US-PGPUB; USPAT | OR | ON | 2007/04/25 08:50 |
| S27 | 1 | "20050125434" and signal | US-PGPUB; USPAT | OR | OFF | 2007/10/31 09:20 |
| S28 | 1 | @pd<"20031203" and "progressive modeling" | US-PGPUB; USPAT | OR | ON | 2007/10/31 11:42 |
| S29 | 18 | @pd<"20031203" and (progressive with modeling) | US-PGPUB; USPAT | OR | ON | 2007/11/02 09:09 |
| S30 | 79 | 706/8.ccls. and @pd<"20031203" | US-PGPUB; USPAT | OR | ON | 2007/11/02 09:10 |
| S31 | 237 | 706/16.ccls. and @pd<"20031203" | US-PGPUB; USPAT | OR | ON | 2007/11/02 09:10 |
| S32 | 607 | 706/45.ccls. and @pd<"20031203" | US-PGPUB; USPAT | OR | ON | 2007/11/02 09:10 |
| S33 | 3 | 706/45.ccls. and @pd<"20031203" and (progressive same model\$) | US-PGPUB; USPAT | OR | ON | 2007/11/02 09:11 |
| S34 | 18 | 706/45.ccls. and @pd<"20031203" and (progressive and model\$) | US-PGPUB; USPAT | OR | ON | 2007/11/02 09:11 |
| S35 | 2 | 706/49.ccls. and @pd<"20031203" and (progressive and model\$) | US-PGPUB; USPAT | OR | ON | 2007/11/02 09:11 |
| S36 | 33 | 706/49.ccls. and @pd<"20031203" | US-PGPUB; USPAT | OR | ON | 2007/11/02 09:11 |
| S37 | 922 | 703/2.ccls. and @pd<"20031203" | US-PGPUB; USPAT | OR | ON | 2007/11/02 09:11 |
| S38 | 8 | 703/2.ccls. and @pd<"20031203" and (progressive same model\$) | US-PGPUB; USPAT | OR | ON | 2007/11/02 09:12 |
| S39 | 23 | 703/2.ccls. and @pd<"20031203" and (progressive and model\$) | US-PGPUB; USPAT | OR | ON | 2007/11/02 09:12 |

| | | | | | | |
|-----|-------|--|--------------------|----|-----|---------------------|
| S40 | 6 | 703/8.ccls. and @pd< "20031203" and (progressive and model\$) | US-PGPUB; USPAT | OR | ON | 2007/11/02 09:12 |
| S41 | 249 | 703/8.ccls. and @pd< "20031203" | US-PGPUB; USPAT | OR | ON | 2007/11/02 09:12 |
| S42 | 131 | 703/9.ccls. and @pd< "20031203" | US-PGPUB; USPAT | OR | ON | 2007/11/02 09:12 |
| S43 | 516 | S42 or S39 or S36 or S34 or S31 or S30 | US-PGPUB; USPAT | OR | ON | 2007/11/02 09:14 |
| S44 | 40060 | "20050125434" ans ((signal with bearing) with medium) | US-PGPUB; USPAT | OR | ON | 2008/04/28 12:19 |
| S45 | 1 | "20050125434" and ((signal with bearing) with medium) | US-PGPUB; USPAT | OR | ON | 2008/04/28 12:19 |
| S46 | 1 | "20050125434" and (carries with benefit) | US-PGPUB; USPAT | OR | OFF | 2008/04/29 09:03 |
| S47 | 1 | "20050125434" and (inductive with model) | US-PGPUB; USPAT | OR | OFF | 2008/04/29 11:50 |
| S48 | 1 | "20050125434" and (feature with vector) | US-PGPUB; USPAT | OR | OFF | 2008/04/29 12:54 |
| S49 | 1 | "20050125434" and (true with class) | US-PGPUB; USPAT | OR | ON | 2008/04/29 12:58 |
| S50 | 1 | "20050125434" and (benefit with matrix) | US-PGPUB; USPAT | OR | ON | 2008/04/29 13:37 |
| S51 | 1 | "20050125434" and (benefit with aggregate) | US-PGPUB; USPAT | OR | ON | 2008/04/29 13:46 |
| S52 | 1 | "20050125434" and (aggregate) | US-PGPUB; USPAT | OR | ON | 2008/04/29 13:47 |
| S53 | 115 | @ad< "20031203" and @pd> "20071102" and ((dataset or database) with subset) | US-PGPUB; USPAT | OR | ON | 2008/04/29 15:10 |
| S54 | 0 | @ad< "20031203" and @pd> "20071102" and ((subset) with plurality) and "lrearning model" | US-PGPUB; USPAT | OR | ON | 2008/04/29 15:15 |
| S55 | 1 | @ad< "20031203" and @pd> "20071102" and ((subset) with plurality) and "learning model" | US-PGPUB; USPAT | OR | ON | 2008/04/29 15:15 |
| S56 | 8 | @ad< "20031203" and @pd> "20071102" and ((subset) with increment\$) and model | US-PGPUB; USPAT | OR | ON | 2008/04/29 15:15 |
| S57 | 80 | @ad< "20031203" and @pd> "20071102" and ((divid\$) with database) | US-PGPUB; USPAT | OR | ON | 2008/04/29 15:20 |

| | | | | | | |
|-----|-------|--|--------------------|----|-----|---------------------|
| S58 | 38 | @ad< "20031203" and @pd> "20071102" and ((divid\$ with database) and model | US-PGPUB; USPAT | OR | ON | 2008/04/29 15:21 |
| S59 | 0 | @ad< "20031203" and @pd> "20071102" and ((build\$ with subset) with (threshold or termination)) | US-PGPUB; USPAT | OR | ON | 2008/04/29 15:23 |
| S60 | 1 | @ad< "20031203" and @pd> "20071102" and ((combin\$ with subset) with (threshold or termination)) | US-PGPUB; USPAT | OR | ON | 2008/04/29 15:24 |
| S61 | 2 | @ad< "20031203" and @pd> "20071102" and ((combin\$ with subset) same (threshold or termination)) | US-PGPUB; USPAT | OR | ON | 2008/04/29 15:24 |
| S62 | 3 | @ad< "20031203" and @pd> "20071102" and ((dataset or database) with subset) and "706".clas. | US-PGPUB; USPAT | OR | ON | 2008/04/29 15:27 |
| S63 | 31 | 706/45.ccls. and @ad< "20031203" and @pd> "20071102" | US-PGPUB; USPAT | OR | ON | 2008/04/29 15:28 |
| S64 | 11 | 706/46.ccls. and @ad< "20031203" and @pd> "20071102" | US-PGPUB; USPAT | OR | ON | 2008/04/29 15:28 |
| S65 | 18 | 706/12.ccls. and @ad< "20031203" and @pd> "20071102" | US-PGPUB; USPAT | OR | ON | 2008/04/29 15:28 |
| S66 | 10 | 706/16.ccls. and @ad< "20031203" and @pd> "20071102" | US-PGPUB; USPAT | OR | ON | 2008/04/29 15:28 |
| S67 | 49 | S63 or S64 or S65 or S66 | US-PGPUB; USPAT | OR | ON | 2008/04/29 15:29 |
| S68 | 18596 | "20050125434"and "fraud" | US-PGPUB; USPAT | OR | OFF | 2009/02/17 07:57 |
| S69 | 1 | "20050125434" and "fraud" | US-PGPUB; USPAT | OR | OFF | 2009/02/17 07:58 |
| S70 | 0 | "20050125434" and "progressive model" | US-PGPUB; USPAT | OR | ON | 2009/02/17 08:15 |
| S71 | 1 | "20050125434" and incremen\$ | US-PGPUB; USPAT | OR | ON | 2009/02/17 08:30 |
| S72 | 1 | "20050125434" | US-PGPUB; USPAT | OR | OFF | 2009/05/01 09:28 |
| S73 | 1 | "20050125434" and processor | US-PGPUB; USPAT | OR | OFF | 2009/05/01 09:31 |

| | | | | | | |
|-----|------|---|-----------------|----|-----|------------------|
| S74 | 1 | "20050125434" and ((base with classifier) with calculator) | US-PGPUB; USPAT | OR | OFF | 2009/05/01 09:43 |
| S75 | 1 | "20050125434" and donation | US-PGPUB; USPAT | OR | OFF | 2009/05/01 09:50 |
| S76 | 1 | "20050125434" and accuracy | US-PGPUB; USPAT | OR | OFF | 2009/05/01 09:53 |
| S77 | 1 | "20050125434" and model | US-PGPUB; USPAT | OR | OFF | 2009/05/01 09:56 |
| S78 | 177 | @pd<"20031203" and ((subset with data) with training) | US-PGPUB; USPAT | OR | OFF | 2009/05/01 09:59 |
| S79 | 225 | @pd<"20031203" and ((subset with data) with training) | US-PGPUB; USPAT | OR | ON | 2009/05/01 09:59 |
| S80 | 99 | @pd<"20031203" and ((subset with data) with training) and (training with (plurality or numerous)) | US-PGPUB; USPAT | OR | ON | 2009/05/01 10:08 |
| S81 | 6 | @pd<"20031203" and ("holdout method" with training) | US-PGPUB; USPAT | OR | ON | 2009/05/01 10:18 |
| S82 | 1 | "20050125434" and ((estimate with learning) with model) | US-PGPUB; USPAT | OR | OFF | 2009/05/01 10:32 |
| S83 | 1 | "20050125434" and ((inductive with learning) with model) | US-PGPUB; USPAT | OR | ON | 2009/05/01 10:34 |
| S84 | 1 | "20050125434" and (estimat\$ with accuracy) | US-PGPUB; USPAT | OR | ON | 2009/05/01 10:49 |
| S85 | 1 | "20050125434" and (confidence with interval) | US-PGPUB; USPAT | OR | ON | 2009/05/01 10:52 |
| S86 | 1 | "20050125434" and "ensemble model" | US-PGPUB; USPAT | OR | ON | 2009/05/01 11:55 |
| S87 | 2496 | @pd<"20031203" and (estimate\$ with train\$) | US-PGPUB; USPAT | OR | ON | 2009/05/07 14:49 |
| S88 | 601 | @pd<"20031203" and ((estimate\$ with train\$) with (time or duration or period)) | US-PGPUB; USPAT | OR | ON | 2009/05/07 14:50 |
| S89 | 517 | @pd<"20031203" and ((estimate\$ with train\$) with (time)) | US-PGPUB; USPAT | OR | ON | 2009/05/07 14:50 |
| S90 | 95 | @pd<"20031203" and ((estimate\$ with train\$) with time) and (charity or donation) | US-PGPUB; USPAT | OR | ON | 2009/05/07 14:53 |

| | | | | | | |
|------|-----|---|--------------------|----|----|---------------------|
| S91 | 0 | @pd<"20031203" and (((estimate\$ with train\$ with time) same (charity or donation)) | US-PGPUB; USPAT | OR | ON | 2009/05/07 14:53 |
| S92 | 0 | @pd<"20031203" and ((estimate\$ with train\$ with time) and (charity.ab. or donation.ab.) | US-PGPUB; USPAT | OR | ON | 2009/05/07 14:54 |
| S93 | 0 | @pd<"20031203" and ((estimate\$ with train\$ with time) and ((forecast\$ or predict\$) with (charity or donation)) | US-PGPUB; USPAT | OR | ON | 2009/05/07 14:55 |
| S94 | 110 | @pd<"20031203" and (charity.ab. or donation. ab.) | US-PGPUB; USPAT | OR | ON | 2009/05/07 14:56 |
| S95 | 1 | "20050125434" and (estimat\$ with train\$) | US-PGPUB; USPAT | OR | ON | 2009/05/07 15:19 |
| S96 | 90 | @pd<"20031203" and "parametric statistics" | US-PGPUB; USPAT | OR | ON | 2009/05/07 15:28 |
| S97 | 1 | @pd<"20031203" and "parametric statistics" and parametric.ab. | US-PGPUB; USPAT | OR | ON | 2009/05/07 15:29 |
| S98 | 171 | @pd<"20031203" and (walker adj digital\$.as.) | US-PGPUB; USPAT | OR | ON | 2009/05/08 10:19 |
| S99 | 132 | @pd<"20021203" and (walker adj digital\$.as.) | US-PGPUB; USPAT | OR | ON | 2009/05/08 10:21 |
| S100 | 1 | "20050125434" and (current with accuracy) | US-PGPUB; USPAT | OR | ON | 2009/05/19 08:50 |
| S101 | 1 | "20050125434" and ("base classifier" adj calculator) | US-PGPUB; USPAT | OR | ON | 2009/05/19 09:12 |
| S102 | 0 | "20050125434" and ("estimate learning" adj model) | US-PGPUB; USPAT | OR | ON | 2009/05/19 09:14 |
| S103 | 1 | "20050125434" and ((estimat\$ adj learning) adj model) | US-PGPUB; USPAT | OR | ON | 2009/05/19 09:14 |
| S104 | 1 | "20050125434" and ((true with class) with label) | US-PGPUB; USPAT | OR | ON | 2009/05/19 10:48 |
| S105 | 1 | "20050125434" and (media or medium) | US-PGPUB; USPAT | OR | ON | 2009/05/19 12:29 |

5/ 26/ 2009 10:30:15 AM

C:\ Documents and Settings\ pcoughlan\ My Documents\ EAST\ Workspaces\ 10725378.wsp